


# Custom Made Matting

For Your Environment



2023

**MCCRANN CYRUS** MFG

MCCRANNCYRUS.COM

# TABLE OF CONTENT

<b>Branded &amp; Designed Matting</b>	04
<b>Outdoor / Indoor Matting Products</b>	06
Cyrus 9000	08
Cyrus 8000	09
Cyrus 4000	10
Cyrus 8050 & Cyrus 4050	11
Cyrus 3000	12
Cyrus 2100 & Cyrus 2200	13
Vinyl Back Coco Matting	14
Cyrus 7000 & Cyrus 6000	15
<b>Anti-Fatigue Matting</b>	16
Airsoft & Journeyman	17
Competitor Series & Foam Fusion	18
<b>Recessed Well Matting</b>	19
Peditred G4, Peditred G3, Pedimat M1	20
Base Series 300, 700 & Debris Trap	21
<b>Soft Seating Commercial Carpet</b>	22
Carpet Tile Tray System	24
Owning vs Rental Matting	25
About us	26
How to Order	27



# Welcome to the

# **MCCRANN CYRUS** MFG

# Product Catalog



McCrann Cyrus has focused on innovation for over 45 years to ensure the safest, quality products that create warm and welcoming spaces in any facility.

Not only do we manufacture incredible custom entry mats but we provide a wide variety of carpet services as well. These include cutting and edge finishing carpets to create area rugs. Supplying high quality area rug underlay. Creating custom indoor and outdoor marine carpet and more.

We continue to be proud of our achievements as we have numerous products in many cities across North America. Our desire is to supply the best products for your needs.

# Branding & Custom Designs

Enhance the welcome and safety of your facility with a custom matting system that can highlight your brand and stop dirt at the door.

## CREATE BRAND AWARENESS FROM THE GROUND UP

Create a lasting first impression at the first step.

Customize your entrance mat to incorporate your logo to enhance your brand awareness.

We offer a variety of products and colors to suit your brand and space.



## MADE TO ORDER

Our mats can be manufactured to any size or shape.

Create a warm welcome with a curved edge or follow the direction of traffic.

Our mats will accommodate your space so you won't sacrifice esthetic's for function.

*Tailor made to your needs.*



## EXPLORE DESIGNS

Add a custom, one of a kind design that compliments your interior.

Improve the look of your space with a seamless match to your décor.

Our durable interior and exterior matting products offer a wide range of colors for your designs.



Our State of the art technology allows us to be a world apart, incorporate logos with unparalleled detail and clarity.


We CNC cut and heat weld your logo right into your custom designed carpet. Our vast pallet of color options ensures the integrity of your logo is captured.



## WAY-FINDING

Create a way-finding mat to help easily guide traffic in the right direction. Clearly mark locations with text or use color and shapes like arrows to make sure your space is easy to navigate for all its new occupants.

# INDOOR/OUTDOOR MATTING



# Entrance Matting Engineered to Perform & Reflect Your Image

Your first line of defense against the elements.



## FEATURES

- **SAFETY:** Reduce slips and falls by keeping your floors clean and dry.
- **LITIGATION:** Prevent lawsuits from injury claims.
- **BRANDING:** Highlight your brand at the first step.
- **QUALITY:** We will help determine the best product for your application.
- **REDUCE MAINTENANCE COSTS:** Commercial entry mats are the first line of defense against the soil, water and dirt entering via foot traffic.



# CYRUS 9000

## WHERE TO USE

Entrance ways & vestibules in commercial, industrial and institutional buildings.

## ENVIRONMENT

Outdoors directly exposed to the elements, harsh weather and indoors.

## MADE FOR

Heavy traffic areas.



## DESCRIPTION

- Easy to clean and maintain as it requires no drying time.
- Aggressive scraper matting designed to remove debris before it enters your building.
- Dense tufted design minimizes resistance of wheeled traffic.
- Drainage holes for water removal. Excellent for mitigating any excess water.
- Seaming and edging programs available.



20 CHARCOAL



25 GREY



10 BROWN

## SPECIFICATIONS

CONSTRUCTION:	TUFTED CUT PILE
FACE STYLE:	TUFTED GRASS
FACE MATERIAL:	POLYPROPYLENE
THICKNESS:	1/2 IN. (12.5MM)
TOTAL WEIGHT:	2.32 KG/M <sup>2</sup> (0.48 LBS/FT <sup>2</sup> )
WARRANTY:	LIMITED 1 YEAR
BACKING:	LATEX
WIDTHS:	1M & 2M





# CYRUS 8000

## WHERE TO USE

High traffic entranceway's, vestibules, lobbies, elevators, and hallways,

## ENVIRONMENT

Outdoors directly exposed to the elements, as well as indoors.

## MADE FOR

Heavy traffic areas.



## DESCRIPTION

- Asota branded polypropylene fibers on a natural and synthetic rubber backing.
- Appearance of high-end carpet.
- Mold, mildew spike and skate resistant.
- Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salts.
- Permanently anti-static and has enhanced UV stability.
- Can be cleaned by vacuuming, hosing or hot water extraction.
- Holds approximately 7 liters or 1.85 gallons of water per square yard.
- Available in custom cuts and rolls.
- Logo, seaming and edging programs available.

## SPECIFICATIONS

CONSTRUCTION:	NEEDLE PUNCH LOOP PILE
FACE STYLE:	OMNI PATTERN, WIPER/SCRAPER
FACE MATERIAL:	POLYPROPYLENE
THICKNESS:	3/8 IN.
TOTAL WEIGHT:	2.82 KG/M2 (0.58 LB/FT2)
WARRANTY:	LIMITED 3 YEAR
BACKING:	RUBBER
ROLL SIZES:	1M X 75'6", 2M X 75'6", 4M X 75'6"
FLAMMABILITY:	EFL, EN 13501-1
EDGING:	AVAILABLE
FACE WEIGHT:	1,700 G/M2 (50 OZ/YD2)





# CYRUS 4000

## WHERE TO USE

High traffic entranceway's, vestibules, lobbies, elevators, and hallways.

## ENVIRONMENT

Outdoors directly exposed to the elements, as well as indoors.

## MADE FOR

Heavy traffic areas, Highlighting your brand.

## STANDARD COLORS



## LOGO COLORS



## DESCRIPTION

- Asota branded polypropylene fibers on a natural and synthetic rubber backing.
- Mold, mildew spike and skate resistant.
- Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salts.
- Permanently anti-static and has enhanced UV stability.
- Can be cleaned by vacuuming, hosing or hot water extraction.
- Holds approximately 7 liters or 1.85 gallons of water per square yard.
- Available in custom cuts and rolls.
- Logo, seaming and edging programs available.

## SPECIFICATIONS

<b>CONSTRUCTION:</b>	NEEDLE PUNCH LOOP PILE
<b>FACE STYLE:</b>	BERBER (HOBNAIL), WIPER/SCRAPER
<b>FACE MATERIAL:</b>	POLYPROPYLENE
<b>THICKNESS:</b>	3/8 IN.
<b>TOTAL WEIGHT:</b>	2.91 KG/M <sup>2</sup> (0.60 LB/FT <sup>2</sup> )
<b>WARRANTY:</b>	LIMITED 3 YEAR
<b>BACKING:</b>	RUBBER
<b>ROLL SIZES:</b>	1M X 75'6", 2M X 75'6", 4M X 75'6"
<b>FLAMMABILITY:</b>	PASSES C.G.S.B. STANDARDS FOR FLAMMABILITY (PILL TEST) MEETS FLAMMABILITY STANDARD DOC-FF-1-70 (PILL TEST)
<b>EDGING:</b>	AVAILABLE
<b>FACE WEIGHT:</b>	1,790 G/M <sup>2</sup> (53 OZ/YD <sup>2</sup> )



20 CHARCOAL 27 DARK GREY 15 BEIGE 19 BRONZE

## SPECIFICATIONS

CONSTRUCTION:	NEEDLE PUNCH LOOP PILE
FACE STYLE:	OMNI PATTERN, WIPER/SCRAPER
FACE MATERIAL:	POLYPROPYLENE
THICKNESS:	1/4 IN.
TOTAL WEIGHT:	2.16 KG/M <sup>2</sup> (0.44 LB/FT <sup>2</sup> )
WARRANTY:	LIMITED 3 YEAR
BACKING:	RUBBER
ROLL SIZES:	1M X 82', 2M X 82', 4M X 82'
FLAMMABILITY:	PASSES C.G.S.B. STANDARDS FOR FLAMMABILITY (PILL TEST) MEETS FLAMMABILITY STANDARD DOC-FF-1-70 (PILL TEST)
EDGING:	AVAILABLE
FACE WEIGHT:	1150 G/M <sup>2</sup> (34 OZ/YD <sup>2</sup> )

# CYRUS 8050

## WHERE TO USE

Entranceway's, vestibules, lobbies, elevators, and hallways.

## ENVIRONMENT


Undercover outdoors as well as indoors.

## MADE FOR

Medium traffic.

## DESCRIPTION

- Permanently anti-static.
- Has enhanced UV stability.
- Mold and mildew resistant.
- Can be installed indoors as well as outdoors in a sheltered area.
- Holds approximately 5.5 liters of 1.45 gallons of water per square yard.
- CRI GLP Certified.



10 CHOCOLATE 50 GREEN 40 BLUE 30 RED



20 CHARCOAL 27 DARK GREY 15 BEIGE

## SPECIFICATIONS

CONSTRUCTION:	NEEDLE PUNCH LOOP PILE
FACE STYLE:	BERBER (HOBNAIL), WIPER/SCRAPER
FACE MATERIAL:	POLYPROPYLENE
THICKNESS:	1/4 IN.
TOTAL WEIGHT:	2.16 KG/M <sup>2</sup> (0.44 LB/FT <sup>2</sup> )
WARRANTY:	LIMITED 3 YEAR
BACKING:	RUBBER
ROLL SIZES:	1M X 82', 2M X 82', 4M X 82'
FLAMMABILITY:	PASSES C.G.S.B. STANDARDS FOR FLAMMABILITY (PILL TEST) MEETS FLAMMABILITY STANDARD DOC-FF-1-70 (PILL TEST)
EDGING:	AVAILABLE
FACE WEIGHT:	1150 G/M <sup>2</sup> (34 OZ/YD <sup>2</sup> )

# CYRUS 4050

## WHERE TO USE

Entranceway's, vestibules, lobbies, elevators, and hallways.

## ENVIRONMENT

Undercover outdoors as well as indoors.

## MADE FOR

Medium traffic.

## DESCRIPTION

- Permanently anti-static and has enhanced UV stability.
- Mold and mildew resistant.
- Clean by vacuuming, hosing or hot water extraction.
- Holds approximately 5.5 liters or 1.45 gallons of water per sq. yd.
- Logo, seaming and edging programs available.
- Impervious to chemicals such as caustic soda, chlorine, petroleum products, ice melters & salt.

# CYRUS 3000

## WHERE TO USE

High traffic entranceway's, vestibules, lobbies, elevators, and hallways.

## ENVIRONMENT

Indoors only.

## MADE FOR

Heavy traffic areas.



JAVA



PINECONE



NIGHT OWL



CADET BLUE



MOCHA

## DESCRIPTION

- A high end look with the durability of commercial matting.
- Unsurpassed dirt capture.
- Resistance to wear and crushing, even in high traffic areas.
- Logo, seaming and edging programs available.
- Can be made in any size or shape.
- Stronghold backing available to grip hard surface floors and prevent your system from moving.
- The #1 choice of custom entry carpet for:
  - Shopping centers
  - Prestigious offices
  - Residential building

## SPECIFICATIONS

CONSTRUCTION:	NEEDLE PUNCH LOOP PILE
FACE MATERIAL:	100% INVESTATM ANTRON LEGACY TYPE 6,6 NYLON
THICKNESS:	1/4 IN.
TOTAL WEIGHT:	1.2 LBS / SQ. FT.
WARRANTY:	LIMITED 5 YEAR
BACKING:	100% VINYL COMPOSITE NON-AQUEOUS POLYMER
ROLL WIDTH:	6 FT
EDGING:	AVAILABLE
FACE WEIGHT:	28 OZ./YD. SQ.





# CYRUS 2100

## WHERE TO USE

Entranceway's, vestibules, lobbies, elevators, and hallways.

## ENVIRONMENT

Indoors only.

## MADE FOR

Heavy traffic.



## SPECIFICATIONS

CONSTRUCTION:	TUFTED CUT PILE
FACE MATERIAL:	100% WEARON TYPE 6,6 NYLON
WARRANTY:	LIMITED 5 YEAR
BACKING:	100% VINYL COMPOSITE
ROLL WIDTH:	2M
FACE WEIGHT:	26 OZ. / YD <sup>2</sup>

## DESCRIPTION

- Excellent dirt capture and water retention.
- Engineered for performance.
- Designed to allow dirt to fall to the base of the fiber for ease in vacuuming and cleaning.
- Logo, seaming and edging programs available.
- Stronghold backing available to grip hard surface floors and prevent your system from moving.



# CYRUS 2200

## WHERE TO USE

Entranceway's, vestibules, lobbies, elevators, and hallways.

## ENVIRONMENT

Indoors only.

## MADE FOR

Heavy traffic.

## SPECIFICATIONS

THICKNESS:	3/8 IN.
FACE MATERIAL:	WEARON NYLON AND MONO-FILAMENT TYPE 6 AND 6,6 TUFTED
WARRANTY:	LIMITED 5 YEAR
BACKING:	100% VINYL COMPOSITE NON-AQUEOUS POLYMER
ROLL WIDTH:	6 FT.
FACE WEIGHT:	28 OZ. / YD <sup>2</sup>

## DESCRIPTION

- Easy to clean and maintain with a quick drying time
- Tailored designs and branding options available
- ADA Compliant Ramp Edging Available to prevent a tripping hazard and keep your mats laying flat
- Custom sizes available. All mats are made to measure locally
- Slip resistant Stronghold backing included with every system to keep them in place



# VINYL-BACK COCO MATTING

## WHERE TO USE

Entranceway's, vestibules, lobbies, elevators, and hallways.

## ENVIRONMENT

Indoors only.

## MADE FOR

Heavy to medium traffic areas.



NATURAL



BLACK



GREY



BROWN

## DESCRIPTION

- 100% natural face fiber makes this mat your Eco-friendly option.
- Made to withstand medium duty traffic.
- The wear, tear and maximum absorption of dirt makes this product suitable for use in entrance hallways, corridors and other similar areas.
- Easily vacuumed or shaken to remove dirt and debris.
- Logo, seaming and edging programs available.
- Shedding is common with the product due to the natural characteristics of coir. Over time and use (along with frequent vacuuming or sweeping) this will decrease to a certain extent. Shedding is not considered a manufacturing defect.
- To considerably extend the life of the Poona mate, we recommend that you remove mats, turn upside, shake or beat dirt and embedded sand along with vacuuming frequently.

## SPECIFICATIONS

FACE MATERIAL:	100% HAND SPUN COIR YARNS
THICKNESS:	18MM (5/8 IN.)
TOTAL WEIGHT:	13.5 LB / SQ. YD.
WARRANTY:	LIMITED 1 YEAR
BACKING:	VINYL
ROLL WIDTH:	2M (6FT. 7IN.)
EDGING:	AVAILABLE





# CYRUS 7000

## WHERE TO USE

Hallways, reception desks, light traffic entrances.

## ENVIRONMENT


Indoors only.

## MADE FOR

Light traffic.

## DESCRIPTION

- The elegant look of Berber with multi-directional wiper/scraper effectiveness.
- Perfect for locations where door clearance is an issue as this is a low profile material.
- This mats light weight quality makes it a good fit for move in and move out mats in apartment buildings.
- Indoor matting option for lobby runners, in front of reception desks and hallways.
- Logo, seaming and edging programs available.



## SPECIFICATIONS

CONSTRUCTION:	NEEDLE-PUNCH LOOP PILE, DUAL FIBER
FACE MATERIAL:	75% POLYPROPYLENE, 25% PET
THICKNESS:	1/4 IN. (6.5 MM)
TOTAL WEIGHT:	2.98 KG./SQ. M. (0.61 LBS./SQ. FT.)
WARRANTY:	LIMITED 1 YEAR
BACKING:	VINYL
ROLL WIDTHS:	3FT, 4FT, 6FT
EDGING:	AVAILABLE
FACE STYLE:	BERBER (HOBNAIL)



# CYRUS 6000



## WHERE TO USE

Hallways, reception desks, light traffic entrances.

## ENVIRONMENT

Indoors only.

## MADE FOR

Light traffic.


## DESCRIPTION

- Indoor matting option for hallways, reception desks, light traffic entrances, final mat in entrance system.
- Cut pile wiper matting that can be added to your entrance system to catch fine particles and remaining moisture
- Logo, seaming and edging programs available.

## SPECIFICATIONS


CONSTRUCTION:	TUFTED
FACE MATERIAL:	POLYPROPYLENE
THICKNESS:	8 MM (5/16 IN.)
TOTAL WEIGHT:	3.42 KG/M <sup>2</sup> (0.70 LB/FT <sup>2</sup> )
WARRANTY:	LIMITED 1 YEAR
BACKING:	VINYL (PVC)
ROLL WIDTHS:	3FT, 4FT, 6FT
EDGING:	AVAILABLE
FACE STYLE:	LEVEL CUT PILE

# ANTI-FATIGUE MATTING



## FEATURES

- ANTI-FATIGUE MATS ARE DESIGNED TO REDUCE FATIGUE CAUSED BY STANDING FOR LONG PERIODS OF TIME ON A HARD SURFACE.
- RESEARCH SHOWS THAT USING COMFORT MATS FOR STANDING CAN LOWER 50% OF YOUR FATIGUE.




Options available for indoors, outdoors, wet areas, manufacturing, kitchens, offices, and more.






# AIRSOFT PLUS



BLACK



GREY

## SPECIFICATIONS

CONSTRUCTION:	VINYL (PVC) FOAM
SURFACE:	SOLID TOP
THICKNESS:	16 MM ( 5/8 IN.)
TOTAL WEIGHT:	4.80 KG./M <sup>2</sup> (0.98 LBS./FT <sup>2</sup> .)
WARRANTY:	LIMITED 1 YEAR
BACKING:	VINYL (PVC)
WIDTHS:	2FT X 60FT, 3FT X 60FT, 4FT X 60FT
EDGING:	AVAILABLE
FACE STYLE:	PEBBLED

## WHERE TO USE

Cashiers, offices, work stations.

## ENVIRONMENT


Indoors only. Dry areas.

## MADE FOR

Light traffic.

## DESCRIPTION

- Deep vinyl foam cushioning protects against impact injuries and provides comfort
- Economical and effective anti-fatigue matting.
- Boosts worker productivity and reduces chances of long term musculoskeletal disorders (MSDs).



# JOURNEYMAN

## SPECIFICATIONS

CONSTRUCTION:	POLYURETHANE FOAM
SURFACE:	SOLID TOP
THICKNESS:	14 MM (9/16 IN.)
TOTAL WEIGHT:	1.59 KG (3.5 LBS)
WARRANTY:	LIMITED 1 YEAR
BACKING:	VINYL (PVC)
SIZE:	2' X 3'
FACE STYLE:	DOMED BUBBLE TOP

## WHERE TO USE

Labs, food areas, and work benches.

## ENVIRONMENT

Indoors only. Dry Areas.

## MADE FOR

Medium traffic.

## DESCRIPTION

- A light weight Anti-Fatigue mat.
- Chemical resistant.
- Has a ribbed backing.
- Integrated edges.
- Bubble top surface enhances micro muscle movements for superior anti-fatigue.

# COMPETITOR SERIES

## WHERE TO USE

Kitchens, mechanics shops, manufacturing, oil and gas industry.

## ENVIRONMENT


Indoors only. Wet areas.

## MADE FOR

Heavy traffic.

## DESCRIPTION

- Anti-fatigue mat that can handle the most punishing industrial environments
- Easy to clean and maintain.
- Available in both linear interlocking and individual mats.
- Colors are standard black and grease resistant orange to cover from industrial shops to commercial kitchens.



## SPECIFICATIONS

CONSTRUCTION:	RUBBER (NATURAL/NITRILE)
FACE STYLE:	PERFORATED OPEN TOP
THICKNESS:	22 MM ( 7/8 IN.)
TOTAL WEIGHT:	21.1 KG (46.4 LBS)
WARRANTY:	STANDARD 3 YR / GREASE RESISTANT 5 YR
RECYCLED CONTENT:	15-22%

# FOAM FUSION



## WHERE TO USE

Machine operating, assembly lines, work benches, warehouses

## ENVIRONMENT

Indoors only.

## MADE FOR

Medium traffic.

## DESCRIPTION

- Slip resistant diamond plate
- A diamond plate surface laminated to long lasting anti-fatigue PVC foam.
- Provides comfort for a full work day.
- Comes with tapered edges.



## SPECIFICATIONS

SURFACE:	SOLID TOP
FACE MATERIAL:	VINYL (PVC)
THICKNESS:	16MM (5/8 IN)
TOTAL WEIGHT:	7.50 KG / M <sup>2</sup> (1.54 LBS/FT <sup>2</sup> )
WARRANTY:	LIMITED 1 YEAR
BACKING:	VINYL (PVC) FOAM
SIZES:	2FT, 3FT, 4FT / 2FT X 3FT & 3FT X 4FT
RECYCLED CONTENT:	35%
FACE STYLE:	DIAMOND PLATE

# RECESSED WELL MATTING



## FEATURES

- These durable architectural products are installed at high traffic areas in or near building entrances.
- Entrance grid systems are ideal because of their ability to trap dirt from pedestrian shoes under its surface for future cleaning.
- Aluminum and vinyl options are available in different widths to suit your well or vestibule.




The Toughest  
Matting Systems  
on the Market

# PEDITRED G4

## STRONG GRID HANDLES ROLLING LOADS UP TO 1,000 LB PER WHEEL


- Smooth rolling surface, solid feel underfoot.
- Grid rolls back for easy cleaning.
- PVC-free hinges and supports.
- 3/4" deep.
- Choose from six effective tread options.
- Available with a variety of frames, with or without drain pans.



# PEDITRED G3

## PERFECT FOR HIGH TRAFFIC ENTRANCES


- Easily incorporates into carpet, tile or surrounding floor finishes.
- 3- and 4-rail plank design rolls back for easy cleaning.
- 750 lb per wheel rolling load capacity.
- 1/2" deep.
- Smooth rolling surface, solid feel underfoot.
- Choose from six effective tread options.
- Available with a variety of frames, with or without drain pans.



# PEDIMAT M1

## QUIET AND HIGHLY EFFECTIVE AT STOPPING DIRT

- Strong, lightweight rails and aluminum hinge connectors offer maximum performance in high traffic areas.
- Incorporates into carpet, tile or surrounding floor finishes.
- 7/16" tread rails allow dirt and water to fall through.
- Choose from six effective tread options.
- Sound absorbing cushions reduce noise.
- Industry standard for architectural tread rail mats where the removal of dirt, snow and water is essential.



## INSERTS

### HD & \*EXTERIOR CARPET



### POURED ABRASIVE INSERTS



### ABRASIVE TAPE INSERTS




\* Available in Exterior Brush Tread  
 † Man made cocoa fibers only available for exterior applications.  
 Due to the differences between monitors, the colors above may vary when specifying. Request color samples from Literature/Samples link at top of page.  
 McCrann Cyrus Mfg reserves the right to make design changes or to withdraw any design without notice.

# BASE SERIES 300

## LIGHT TO MEDIUM TRAFFIC AREAS

- Dimensionally stable.
- Easy to roll-up for maintenance.
- Ideal for exterior and interior entryways, foyers, vestibules, etc.
- An economical barrier for mud, dirt and soil deposited by foot traffic.
- The mats feature aluminum hinged framework with cushioned supports at the bottom of each segment.




## INSERTS



# BASE SERIES 700

## HEAVY TRAFFIC AREAS


- Our strongest entrance system.
- Strong 1-3/4 in. deep I-beam cross section.
- Ideal for indoor or outdoor and heavy foot and cart traffic.
- Versatile in most recessed well applications.
- An aluminum cross member gridlock keeps the grid in place while vinyl footers cushion foot and cart traffic.




# DEBRIS TRAP

## EASY TO ASSEMBLE AND DIMENSIONALLY STABLE

- Superior water and soil containment.
- Cost effective.
- Size: 11 5/8" x 17 5/8".
- Perfect for heavy traffic areas.
- Available in black & Grey.



GREY



BLACK

# DEBRIS TRAP 4000

## OUTSTANDING WATER AND SOIL CONTAINMENT

- Vinyl recessed matting coupled with Cyrus 4000 inserts
- Allows dirt and moisture to fall below traffic level.
- Match inserts to your interior needs.
- Protection against costly dirt clean-up and moisture.
- Recessed/surface mount.
- Dividers available.
- Designed for 1/2 in. recessed wells.



# Soft Seating & Custom Commercial Carpets

Custom rugs designed to fit your space and needs to perfection.

Perfect for soft seating areas, offices, and high traffic areas.

## DISCOVER DESIGNS

Create an area rug that works with your space.

We offer several ways to customize your carpet to make it uniquely yours.

McCranr Cyrus can provide a wide range of options from all the top suppliers.

Explore patterns from graphic, geometric, abstract, organic, traditional and more.



## BE AS BRIGHT AND BOLD AS YOU LIKE.

Choose a color to brighten your mood and space.

Invite creativity and boldness to your facility with a statement rug.

The variety of options available are durable for higher traffic areas so you don't have to sacrifice esthetic's over function.


*Create an area rug that works with your space*



## BRANDING

Create brand awareness from the ground up and establish a welcoming area to sit and wait or rest.

Incorporate your logo using a wide variety of available colors.



We offer several ways to customize your carpet to make it unique for your space.

## CUSTOM SIZING

Let us make your area rug work with the flow of traffic or any specific need in your space.

Our rugs can be made to any size or shape you need.


Get creative with organic shapes, rounds and more.



## FINISHING OPTIONS

Add maximum safety with our ADA compliant ramp edging. This ramp edging helps to prevent a tripping hazard and keep your rug laying flat.

Our reinforced commercial binding adds a softer look with an extra layer of reinforcing for durability in higher traffic areas.



# Carpet Tile Tray System

Sometimes the look you want is only available in carpet tile.



## FEATURES

The Carpet Tile Tray system allows you to create an area rug or entry mat using carpet tiles without gluing the tiles to the floor.

Installation is fast and effortless.


Trays are 100% impervious to water.

## TRAY EDGING

Fully meets the requirements of ADA for safety.

Available in 5 colors and two heights to accommodate most carpet tile selections.

Made from flexible PVC, we use various types of plasticizers to meet specific needs, such as renewable non-naphthalene.



The tray system allows the implementation of unlimited selection of carpet tiles in many styles and colors.

## WHAT IS THE TRAY MADE OF?

We start with dimensionally stable Stronghold™, attach our ADA approved Cyrus Edge to create your custom requirements.

We then heat weld all components together to ensure the tray system, integrity and safety features are met.





# Owning vs. Rental Matting



## COMPARE THE DIFFERENCE

**Left:** Rental mats are often light weight and do not lay flat. This can cause a tripping hazard and bad esthetics's

**Right:** Custom mats lay flat with heavy ADA compliant ramp edging and help prevent tripping hazards.

## MATting PURCHASED VERSUS RENTED

The right matting is about soil control; 90% of the soil that enters a building is tracked through the doors and a good matting system can trap 80% of that soil. Lower cleaning cost and a safer indoor environment depends on the effectiveness of the mats. Our wide range of wiper scraper matting materials offer the right fit for any facility.



### RENTAL MATS

- Provide a limited range of sizes and colours.
- Are usually only wiper mats, the least effective type.
- Have limited soil capacity, to minimize processing time for the rental company.
- Require a rigid contract that's difficult to get out of.
- Can bunch up or wrinkle with age.
- Are an ongoing cost that far exceeds the worth of the product.
- Edge is usually just an extension of the backing and can fail, creating a trip hazard.
- Dye lot's are not consistent with rental exchange programs.
- Staff clean rentals as part of their cleaning, you are paying twice for one job.
- Weekly transport and laundering has a huge environmental impact.

### PURCHASED MATS

- Can be custom made to fit any application.
- Come in a variety of types and styles for any application.
- Hold more soil and moisture, keeping your facility cleaner.
- Come with a warranty.
- Can have stronger, anti slip backings and accessories to keep people safe.
- Pay for themselves in a few months and provide years of effectiveness.
- Keep people safe with heavy duty reducer edges.
- Are available in many consistent colours, to coordinate to your facility.
- Make building maintenance easier by trapping more soil and moisture.
- On-site vacuuming and extraction uses a fraction of the water & power.

# ABOUT US

# CUSTOM MA

**M**ccrann Cyrus Mfg has been a family business for three generations since its start in 1977. The company was founded by Fred McCrann and is now owned and operated by his eldest son, Greg McCrann.

Since its start McCrann's has been constantly growing and developing a reputation for our attention to quality and detail. We continue to grow and service clients across Canada and the USA.

With McCrann Cyrus Mfg you get the professionalism and knowledge of generations of highly committed managers and employees.

We are proud to be a family firm with a coast to coast presence.

**W**e are continually looking for new and innovative products. Our goal is to reduce our overall impact on the environment by incorporating as many green initiatives as possible. Many of our products are currently



## PREMIUM QUALITY

We offer a wide variety of high quality products that range in durability from high traffic to light traffic.



## RECYCLED

Many of our products are currently manufactured with various levels of recycled content taken from both post industrial as well as post consumer recycled material



## START TO FINISH

Our professionals make the process easy from beginning to end with on site visits, delivery and installation.

# MADE

manufactured with various levels of recycled content taken from both post industrial as well as post consumer recycled material and our manufacturing facility embraces all environmentally friendly protocols and recycling programs. We also work diligently with the carpet manufacturers to utilize their recycle programs.

McCranr Cyrus Matting Systems can last between 5-10 years and include a 1-5 year warranty, which keeps our mats out of the land fill up to five times longer than economy matting.

Our matting systems contribute to improved indoor air quality by trapping dirt and dust without using energy, manpower or cleaning chemicals.



## HOW TO ORDER

Schedule a **FREE** consultation with your sales representative



### ON SITE VISIT

We provide an on-site measure service as well as a product consultation to help find a product that will work for your facility.



### PROPOSAL

Once we have the mat size and a file of your logo we can provide a proposal and rendering for you so you can have all the details before committing to an order.



### FAST DELIVERY

Once the order is approved you can expect your new mat in 2-3 weeks for mats without logos or 4-5 weeks with logos.



# Let's work together.

## CONTACT US

---

- T: 1-800-661-3387
- O: 604-298-2522
- E: [info@mccranns.com](mailto:info@mccranns.com)
- [mccranncyrus.com](http://mccranncyrus.com)

## We Design & Manufacture

COMMERCIAL ENTRY CARPETING • CUSTOM AREA RUGS • MARINE CARPET  
CARPET EDGE FINISHING SOLUTIONS • AREA RUG UNDERLAY  
ANTI-FATIGUE MATTING • BRANDED MATS • RECESSED WELL MATTING

**MCCRANN CYRUS** MFG

1290 BOUNDARY ROAD, BURNABY BC, V5K 4T6